

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEINFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(Use several sheets if necessary)

(PTO-1034)

ATTY. DOCKET NO.

176/60581 (1-11027-845)

SERIAL NO.

09/590,968

APPLICANT

Ray et al.

FILING DATE

June 9, 2000

GROUP ART UNIT

1643

Sheet 1 of 11

TECH CENTER 1500/2000

JUN 05 2001

RECEIVED

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPRO- PRIATE |
|---------------------|--------------------|------|------|-------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANS- LATION IF APPRO- PRIATE |
|--------------------|------|---------|-------|----------|--|
| | | | | | |
| | | | | | |
| | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|----|---|---|
| 93 | 1 | Jacobsen et al., "Disruption of an RNA Helicase/RNase III Gene in <i>Arabidopsis</i> Causes Unregulated Cell Division in Floral Meristems," <u>Development</u> 126:5231-5243 (1999) |
| | 2 | Alvarez et al., "Terminal Flower: A Gene Affecting Inflorescence Development in <i>Arabidopsis thaliana</i> ," <u>The Plant J.</u> 2(1):103-116 (1992) |
| | 3 | Amasino, "Control of Flowering Time in Plants," <u>Curr. Opin. Genet. Dev.</u> 6:480-487 (1996) |
| | 4 | Baker et al., "Interactions Among Genes Regulating Ovule Development in <i>Arabidopsis thaliana</i> ," <u>Genetics</u> 145:1109-1124 (1997) |
| | 5 | Berleth et al., "The Role of the <i>monopteros</i> Gene in Organizing the Basal Body Region of the <i>Arabidopsis</i> Embryo," <u>Development</u> 118:575-587 (1993) |
| | 6 | Cox et al., "A Novel Class of Evolutionarily Conserved Genes Defined by <i>Piwi</i> are Essential for Stem Cell Self-Renewal," <u>Genes and Development</u> 12:3715-3727 (1998) |
| | 7 | Bosher, "RNA Interference: Genetic Wand and Genetic Watchdog," <u>Nature Cell Biol.</u> 2:E31-E36 (2000) |
| | 8 | Chuang et al., "Specific and Heritable Genetic Interference by Double-Stranded RNA in <i>Arabidopsis thaliana</i> ," <u>PNAS</u> 97(9):4985-4990 (2000) |

EXAMINER

DATE CONSIDERED

3/21/02

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|---|---|--------------------------|--|
| U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use several sheets if necessary) (PTO-1449) | ATTY. DOCKET NO. 176/60581 (1-11027-845) | SERIAL NO. 09/590,968 | RECEIVED JUN 05 2001 TECH CENTER 1600/2900 |
| | APPLICANT Ray et al. | | |
| | FILING DATE June 9, 2000 | GROUP ART UNIT 1643 | |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPRO- PRIATE |
|---------------------|--------------------|------|------|-------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANS- LATION IF APPRO- PRIATE |
|--------------------|------|---------|-------|----------|--|
| | | | | | |
| | | | | | |
| | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|--|
| 93 [Handwritten line through the list] | 9 | Breitwieser et al., "Oskar Protein Interaction with Vasa Represents an Essential Step in Polar Granule Assembly," <u>Genes Dev.</u> 10:2179-2188 (1996) |
| | 10 | Broadus et al., "Staufen-Dependent Localization of <i>Prospero</i> mRNA Contributes to Neuroblast Daughter-Cell Fate," <u>Nature</u> 391:792-795 (1998) |
| | 11 | Castle et al., "Genetic and Molecular Characterization of Embryonic Mutants Identified Following Seed Transformation in <i>Arabidopsis</i> ," <u>Mol. Gen. Genet.</u> 241:504-514 (1993) |
| | 12 | Chanfreau et al., "Yeast RNase III as a Key Processing Enzyme in Small Nucleolar RNAs Metabolism," <u>J. Mol. Biol.</u> 284:975-988 (1998) |
| | 13 | Clark et al., "The <i>CLAVATA</i> and <i>SHOOT MERISTEMLESS</i> Loci Competitively Regulate Meristem Activity in <i>Arabidopsis</i> ," <u>Development</u> 122:1565-1575 (1996) |
| | 14 | Clark et al., " <i>CLAVATA1</i> , a Regulator of Meristem and Flower Development in <i>Arabidopsis</i> ," <u>Development</u> 119:397-418 (1993) |
| | 15 | Clark et al., "The <i>CLAVATA1</i> Gene Encodes a Putative Receptor Kinase that Controls Shoot and Floral Meristem Size in <i>Arabidopsis</i> ," <u>Cell</u> 89:575-585 (1997) |
| | 16 | Colombo et al., "Downregulation of Ovule-Specific MADS Box Genes from <i>Petunia</i> Results in Maternally Controlled Defects in Seed Development," <u>The Plant Cell</u> 9:703-715 (1997) |
| EXAMINER [Handwritten signature: Joe Z.] | | DATE CONSIDERED 3/20/02 |
| EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEINFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use several sheets if necessary)

(PTO-1449)

ATTY. DOCKET NO.

176/60581 (1-11027-845)

SERIAL NO.

09/590,968

APPLICANT

Ray et al.

FILING DATE

June 9, 2000

GROUP ART UNIT

1643

TECH CENTER 1600/2800

JUN 05 2001

RECEIVED


U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPRO- PRIATE |
|---------------------|--------------------|------|------|-------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANS- LATION IF APPRO- PRIATE |
|--------------------|------|---------|-------|----------|--|
| | | | | | |
| | | | | | |
| | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|--|
| 83 | 17 | Tavernarakis et al., "Heritable and Inducible Genetic Interference by Double-Stranded RNA Encoded by Transgenes," <u>Nature Genetics</u> 24:180-183 (2000) |
| | 18 | Coupland, "Genetic and Environmental Control of Flowering Time in <i>Arabidopsis</i> ," <u>Trends In Genetics</u> 11(10):393-397 (1995) |
| | 19 | Endrizzi et al., "The <i>SHOOT MERISTEMLESS</i> Gene is Required for Maintenance of Undifferentiated Cells in <i>Arabidopsis</i> Shoot and Floral Meristems and Acts at a Different Regulatory Level than the Meristem Genes <i>WUSCHEL</i> and <i>ZWILLE</i> ," <u>The Plant Journal</u> 10(6):967-979 (1996) |
| | 20 | Ferrandon et al., "RNA-RNA Interaction is Required for the Formation of Specific <i>Bicoid</i> mRNA 3' UTR-STAUEN Ribonucleoprotein Particles," <u>EMBO J.</u> 16(7):1751-1758 (1997) |
| | 21 | Gaiser et al., "The <i>Arabidopsis SUPERMAN</i> Gene Mediates Asymmetric Growth of the Outer Integument of Ovules," <u>The Plant Cell</u> 7:333-345 (1995) |
| | 22 | Goodrich et al., "A Polycomb-Group Gene Regulates Homeotic Gene Expression in <i>Arabidopsis</i> ," <u>Nature</u> 386:44-51 (1997) |
| | 23 | Grossniklaus et al., "Maternal Control of Embryogenesis by <i>MEDEA</i> , a Polycomb Group Gene in <i>Arabidopsis</i> ," <u>Science</u> 280:446-450 (1998) |
| | 24 | Gustafson-Brown et al., "Regulation of the <i>Arabidopsis</i> Floral Homeotic Gene <i>APETALAI</i> ," <u>Cell</u> 76:131-143 (1994) |
| EXAMINER | | DATE CONSIDERED |
|  | | 3/20/02 |
| EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

| | | | |
|--|-------------------------|--|----------------|
| U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use separate sheets if necessary) (PTO-14) | ATTY. DOCKET NO. | | SERIAL NO. |
| | 176/60581 (1-11027-845) | | 09/590,968 |
| | APPLICANT | | |
| | Ray et al. | | |
| | FILING DATE | | GROUP ART UNIT |
| | June 9, 2000 | | 1643 |

RECEIVED

JUN 05 2001

TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPRO- PRIATE |
|---------------------|--------------------|------|------|-------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANS- LATION IF APPRO- PRIATE |
|--------------------|------|---------|-------|----------|--|
| | | | | | |
| | | | | | |
| | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|--|
| | 25 | Yang et al., "Genetic Regulation of Shoot Development in <i>Arabidopsis</i> : Role of the <i>EMF</i> Gene," <u>Developmental Biology</u> 169:421-435 (1995) |
| | 26 | Schneitz et al., "Dissection of Sexual Organ Ontogenesis: A Genetic Analysis of Ovule Development in <i>Arabidopsis thaliana</i> ," <u>Development</u> 124:1367-1376 (1997) |
| | 27 | Wickham et al., "Mammalian Staufen is a Double-Stranded-RNA- and Tubulin-Binding Protein Which Localizes to the Rough Endoplasmic Reticulum," <u>Molecular and Cellular Biology</u> 19(3):2220-2230 (1999) |
| | 28 | Weigel et al., "A Developmental Switch Sufficient for Flower Initiation in Diverse Plants," <u>Nature</u> 377:495-500 (1995) |
| | 29 | Kagaya et al., "RAV1, a Novel DNA-Binding Protein, Binds to Bipartite Recognition Sequence through Two Distinct DNA-Binding Domains Uniquely Found in Higher Plants," <u>Nucleic Acids Research</u> 27(2):470-478 (1999) |
| | 30 | Kempin et al., "Molecular Basis of the <i>Cauliflower</i> Phenotype in <i>Arabidopsis</i> ," <u>Science</u> 267:522-525 (1995) |
| | 31 | Weigel et al., " <i>LEAFY</i> Controls Floral Meristem Identity in <i>Arabidopsis</i> ," <u>Cell</u> 69:843-859 (1992) |
| | 32 | Weigel, "The Genetics of Flower Development: From Floral Induction to Ovule Morphogenesis," <u>Ann. Rev. Genet.</u> 29:19-39 (1995) |
| EXAMINER | | DATE CONSIDERED |
| | | 3/21/02 |
| EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEINFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(Use several sheets if necessary)

(PTO-1029)

ATTY. DOCKET NO.

176/60581 (1-11027-845)

SERIAL NO.

09/590,968

APPLICANT

Ray et al.

FILING DATE

June 9, 2000

GROUP ART UNIT

1643

TECH CENTER 1600/2000

JUN 05 2001

RECEIVED

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPRO- PRIATE |
|---------------------|--------------------|------|------|-------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRAN- SLATION IF APPRO- PRIATE |
|--------------------|------|---------|-------|----------|--|
| | | | | | |
| | | | | | |
| | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | | |
|----|-----------------------------|--|-------------------------|
| 83 | 33 | Lang et al., "sin1, A Mutation Affecting Female Fertility in <i>Arabidopsis</i> , Interacts With <i>mod1</i> , Its Recessive Modifier," <u>Genetics</u> 137:1101-1110 (1994) | |
| | 34 | Laux et al., "The <i>WUSCHEL</i> Gene is Required for Shoot and Floral Meristem Integrity in <i>Arabidopsis</i> ," <u>Development</u> 122:87-96 (1996) | |
| | 35 | Lee et al., "Isolation of <i>LUMINIDEPENDENS</i> : A Gene Involved in the Control of Flowering Time in <i>Arabidopsis</i> ," <u>The Plant Cell</u> 6:75-83 (1994) | |
| | 36 | Wang et al., "The DEAH-Box Splicing Factor Prp16 Unwinds RNA Duplexes <i>in vitro</i> ," <u>Curr. Biol.</u> 8(8):441-451 (1998) | |
| | 37 | Levin et al., "UFO: An <i>Arabidopsis</i> Gene Involved in Both Floral Meristem and Floral Organ Development," <u>The Plant Cell</u> 7:529-548 (1995) | |
| | 38 | Walter et al., "Coaxial Stacking of Helixes Enhances Binding of Oligoribonucleotides and Improves Predictions of RNA Folding," <u>Proc. Natl. Acad. Sci. USA</u> 91(20):9218-9222 (1994) | |
| | 39 | Linder et al., "Birth of the D-E-A-D Box," <u>Nature</u> 337:121-122 (1989) | |
| | 40 | Lüking et al., "The Protein Family of RNA Helicases," <u>Critical Reviews in Biochemistry and Molecular Biology</u> 33(4):259-296 (1998) | |
| | EXAMINER <i>[Signature]</i> | | DATE CONSIDERED 3/21/02 |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use several sheets if necessary)

(PTO-1449)

ATTY. DOCKET NO.

176/60581 (1-11027-845)

SERIAL NO.

09/590,968

APPLICANT

Ray et al.

FILING DATE

June 9, 2000

GROUP ART UNIT

1643

TECH CENTER 1600/2900

JUN 05 2001

RECEIVED

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPRO- PRIATE |
|---------------------|--------------------|------|------|-------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRAN- SLATION IF APPRO- PRIATE |
|--------------------|------|---------|-------|----------|--|
| | | | | | |
| | | | | | |
| | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|--|
| 23 | 41 | Luo et al., "Genes Controlling Fertilization-Independent Seed Development in <i>Arabidopsis thaliana</i> ," <u>Proc. Natl. Acad. Sci. USA</u> 96:296-301 (1999) |
| | 42 | Cox et al., "Piwi Encodes a Nucleoplasmic Factor Whose Activity Modulates the Number and Division Rate of Germline Stem Cells," <u>Development</u> 127:503-514 (2000) |
| | 43 | Ma, "The On and Off of Floral Regulatory Genes," <u>Cell</u> 89:821-824 (1997) |
| | 44 | Macknight et al., "FCA, a Gene Controlling Flowering Time in Arabidopsis, Encodes a Protein Containing RNA-Binding Domains," <u>Cell</u> 89:737-745 (1997) |
| | 45 | Mandel et al., "A Gene Triggering Flower Formation in <i>Arabidopsis</i> ," <u>Nature</u> 377:522-524 (1995) |
| | 46 | Mandel et al., "Molecular Characterization of the <i>Arabidopsis</i> Floral Homeotic Gene <i>APETALAI</i> ," <u>Nature</u> 360:273-277 (1992) |
| | 47 | Manseau et al., "Cappuccino and Spire: Two Unique Maternal-Effect Loci Required for Both the Anteroposterior and Dorsoventral Patterns of the <i>Drosophila</i> Embryo," <u>Genes and Development</u> 3:1437-1452 (1989) |
| | 48 | Markussen et al., "Efficient Translation and Phosphorylation of Oskar Require Oskar Protein and the RNA Helicase Vasa," <u>Cold Spring Harb. Symp. Quant. Biol.</u> 62:13-17 (1997) |
| EXAMINER | | DATE CONSIDERED |
| 3/22/02 | | |
| EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICEINFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use several sheets if necessary)

(PTO-1449)

ATTY. DOCKET NO.

176/60581 (1-11027-845)

APPLICANT

Ray et al.

FILING DATE

June 9, 2000

SERIAL NO.

09/590,968

GROUP ART UNIT

1643

RECEIVED

JUN 05 2001

TECH CENTER 1600/2900


U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPRO- PRIATE |
|---------------------|--------------------|------|------|-------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION IF APPRO- PRIATE |
|--------------------|------|---------|-------|----------|---------------------------------------|
| | | | | | |
| | | | | | |
| | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|---|
| 83 | 49 | Martinez-Zapater et al., "The Transition to Flowering in <i>Arabidopsis</i> ," In <i>Arabidopsis</i> , Meyerowitz et al., eds., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., pp. 403-433 (1994) |
| | 50 | Torii et al., "The <i>Arabidopsis</i> <i>ERECTA</i> Gene Encodes a Putative Protein Kinase with Extracellular Leucine-Rich Repeats," <i>The Plant Cell</i> 8:735-746 (1996) |
| | 51 | Suzuki et al., "The Conserved B3 Domain of VIVIPAROUS1 has a Cooperative DNA Binding Activity," <i>The Plant Cell</i> 9:799-807 (1997) |
| | 52 | Tomanek et al., "Oocyte Polarity Depends on Regulation of <i>Gurken</i> by Vasa," <i>Development</i> 125:1723-1732 (1998) |
| | 53 | Meinke, "Embryo-Lethal Mutants of <i>Arabidopsis thaliana</i> : Analysis of Mutants with a Wide Range of Lethal Phases," <i>Theor. Appl. Genet.</i> 69:543-552 (1985) |
| | 54 | Meinke, "Perspectives on Genetic Analysis of Plant Embryogenesis," <i>The Plant Cell</i> 3:857-866 (1991) |
| | 55 | Mizukami et al., "Determination of <i>Arabidopsis</i> Floral Meristem Identity by <i>AGAMOUS</i> ," <i>The Plant Cell</i> 9:393-408 (1997) |
| | 56 | Modrusan et al., "Homeotic Transformation of Ovules into Carpel-like Structures in <i>Arabidopsis</i> ," <i>The Plant Cell</i> 6:333-349 (1994) |
| EXAMINER | | DATE CONSIDERED |
|  | | 3/22/02 |
| EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

RECEIVED

| | | | |
|--|---|------------------------|--------------------------|
| U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATIONAL CLOSURE STATEMENT BY APPLICANT (use several sheets if necessary) (PTO-1449) | ATTY. DOCKET NO. 176/60581 (1-11027-845) | | SERIAL NO. 09/590,968 |
| | APPLICANT Ray et al. | | |
| | FILING DATE June 9, 2000 | GROUP ART UNIT 1643 | |
| | | | |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPRO- PRIATE |
|---------------------|--------------------|------|------|-------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRAN- SLATION IF APPRO- PRIATE |
|--------------------|------|---------|-------|----------|--|
| | | | | | |
| | | | | | |
| | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----------------------|----|--|
| 23 ↓ | 57 | Shevell et al., "EMB30 is Essential for Normal Cell Division, Cell Expansion, and Cell Adhesion in Arabidopsis and Encodes a Protein that has Similarity to Sec7," <u>Cell</u> 77:1051-1062 (1994) |
| | 58 | Simon et al., "Activation of Floral Meristem Identity Genes in Arabidopsis," <u>Nature</u> 384:59-62 (1996) |
| | 59 | Nüsslein-Volhard, "Genetic Analysis of Pattern-Formation in the Embryo of <i>Drosophila melanogaster</i> : Characterization of the Maternal-Effect Mutant <i>Bicaudal</i> ," <u>Wilhelm Roux's Arch. Dev. Biol.</u> 183:249-268 (1977) |
| | 60 | Ohad et al., "Mutations in <i>FIE</i> , a WD Polycomb Group Gene, Allow Endosperm Development Without Fertilization," <u>Plant Cell</u> 11:407-415 (1999) |
| | 61 | Okamuro et al., "The AP2 Domain of APETALA2 Defines a Large New Family of DNA Binding Proteins in Arabidopsis," <u>Proc. Natl. Acad. Sci. USA</u> 94:7076-7081 (1997) |
| | 62 | Pause et al., "Mutational Analysis of a DEAD Box RNA Helicase: The Mammalian Translation Initiation Factor eIF-4A," <u>EMBO J.</u> 11(7):2643-2654 (1992) |
| | 63 | Shannon et al., "A Mutation in the Arabidopsis <i>TFL1</i> Gene Affects Inflorescence Meristem Development," <u>The Plant Cell</u> 3:877-892 (1991) |
| | 64 | Shannon et al., "Genetic Interactions that Regulate Inflorescence Development in Arabidopsis," <u>The Plant Cell</u> 5:639-655 (1993) |
| EXAMINER <u>Joe 3</u> | | DATE CONSIDERED <u>3/22/02</u> |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

| | | | |
|---|-------------------------|----------------|------------|
| U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use several sheets if necessary) (PTO-1449) | ATTY. DOCKET NO. | | SERIAL NO. |
| | 176/60581 (1-11027-845) | | 09/590,968 |
| | APPLICANT | | |
| | Ray et al. | | |
| FILING DATE | | GROUP ART UNIT | |
| June 9, 2000 | | 1643 | |

U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPRO- PRIATE |
|---------------------|--------------------|------|------|-------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |


FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRAN- SLATION IF APPRO- PRIATE |
|--------------------|------|---------|-------|----------|--|
| | | | | | |
| | | | | | |
| | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----------------------|----|--|
| 83 | 65 | Schwer et al., "Prp22, a DEXH-Box RNA Helicase, Plays Two Distinct Roles in Yeast Pre-mRNA Splicing," <u>EMBO J.</u> 17(7):2086-2094 (1998) |
| | 66 | Sengupta et al., "Identification of RNAs that Bind to a Specific Protein Using the Yeast Three-Hybrid System," <u>RNA</u> 5:596-601 (1999) |
| | 67 | Putterill et al., "The <i>CONSTANS</i> Gene of Arabidopsis Promotes Flowering and Encodes a Protein Showing Similarities to Zinc Finger Transcription Factors," <u>Cell</u> 80:847-857 (1995) |
| | 68 | Qu et al., "Seven Novel Methylation Guide Small Nucleolar RNAs are Processed from a Common Polycistronic Transcript by Rat1p and RNase III in Yeast," <u>Molecular and Cellular Biology</u> 19:1144-1158 (1999) |
| | 69 | Ray et al., " <i>SHORT INTEGUMENT (SINI)</i> , a Gene Required for Ovule Development in <i>Arabidopsis</i> , Also Controls Flowering Time," <u>Development</u> 122:2631-2638 (1996) |
| | 70 | Ray et al., " <i>Arabidopsis</i> Floral Homeotic Gene <i>BELL (BEL1)</i> Controls Ovule Development Through Negative Regulation of <i>AGAMOUS</i> Gene (<i>AG</i>)," <u>Proc. Natl. Acad. Sci. USA</u> 91:5761-5765 (1994) |
| | 71 | Ray, "Three's Company: Regulatory Cross-Talk During Seed Development," <u>The Plant Cell</u> 9:665-667 (1997) |
| | 72 | Ray, "New Paradigms in Plant Embryogenesis: Maternal Control Comes in Different Flavors," <u>Trends in Plant Science</u> 3(9):325-327 (1998) |
| EXAMINER <u>Jae 3</u> | | DATE CONSIDERED <u>3/22/00</u> |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|--|-------------------------|--|----------------|
| U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use several sheets if necessary) (PTO-1442)  | ATTY. DOCKET NO. | | SERIAL NO. |
| | 176/60581 (1-11027-845) | | 09/590,968 |
| | APPLICANT | | |
| | Ray et al. | | |
| FILING DATE | | | GROUP ART UNIT |
| June 9, 2000 | | | 1643 |



U.S. PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPRO- PRIATE |
|---------------------|--------------------|------|------|-------|----------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANS- LATION IF APPRO- PRIATE |
|--------------------|------|---------|-------|----------|--|
| | | | | | |
| | | | | | |
| | | | | | |

OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)

| | | | |
|---|---|---|-----------------|
|  | 73 | Ray et al., "Pollen Tube Guidance by the Female Gametophyte," <u>Development</u> 124:2489-2498 (1997) | |
| | 74 | Ray et al., "Maternal Effects of the <i>Short Integument</i> Mutation on Embryo Development in <i>Arabidopsis</i> ," <u>Dev. Biol.</u> 180:365-369 (1996) | |
| | 75 | Reiser et al., "The Ovule and the Embryo Sac," <u>The Plant Cell</u> 5:1291-1301 (1993) | |
| | 76 | Reiser et al., "The <i>BELL1</i> Gene Encodes a Homeodomain Protein Involved in Pattern Formation in the Arabidopsis Ovule Primordium," <u>Cell</u> 83:735-742 (1995) | |
| | 77 | Robinson-Beers et al., "Ovule Development in Wild-Type Arabidopsis and Two Female-Sterile Mutants," <u>The Plant Cell</u> 4:1237-1249 (1992) | |
| | 78 | Schultz et al., "Genetic Analysis of the Floral Initiation Process (FLIP) in <i>Arabidopsis</i> ," <u>Development</u> 119:745-765 (1993) | |
| | 79 | Roush, "Probing Flowers' Genetic Past," <u>Science</u> 273:1339-1340 (1996) | |
| | 80 | Ryter et al., "Molecular Basis of Double-Stranded RNA-Protein Interactions: Structure of a dsRNA-Binding Domain Complexed with dsRNA," <u>EMBO J.</u> 17(24):7505-7513 (1998) | |
| | EXAMINER | | DATE CONSIDERED |
| |  | | 3/22/02 |

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 6 9; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

